

## MATERIAL SAFETY DATA SHEET

VERSION DATED : 01.04.2016

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : NC Sanding Sealer  
BRAND : LMKSUPER & LMK

#### SUPPLIER OR COMPANY NAME

NAME : HERO LMK COATINGS,  
ADDRESS : VILLAGE ROHAD , ROHTAK ROAD  
BAHADURGARH-124507 (HARYANA).  
INDIA  
TELEPHONE NO. : +91-9911267755  
EMAIL : lmkcoatings@gmail.com

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Synthetic Alkyd resin  
NC Cotton  
Additives  
Zinc compound  
Volatile Organic Solvents

### 3. HAZARDS IDENTIFICATION

SPECIFIC HAZARDS : FLAMMABLE

PHYSICAL AND CHEMICAL HAZARDS

Harmful by inhalation and in contact with eyes . Irritating to eyes . Keep away from sources of ignition.

### 4. FIRST AID MEASURES

#### INHALATION

Take person out of the contaminated area and make breathe fresh air. Call a doctor immediately.

#### SKIN CONTACT

Wash in Thinner , soap & water and rinse with water .  
Take off all contaminated clothing.

#### EYE CONTACT

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
If irritation  
continues, see an Ophthalmologist.

## **5. FIRE FIGHTING MEASURES**

### **EXTINGUISHING MEDIA SUITABLE**

DRY POWDER

FOAM

CARBON DIOXIDE

### **EXTINGUISHING MEDIA NOT SUITABLE**

WATER JET.

PROTECTION FOR FIRE - FIGHTERS

In case of fire Do not breathe fumes. Explosive vapours in air.

## **6. ACCIDENTAL RELEASE MEASURES**

### **PERSONAL PRECAUTIONS**

Avoid inhaling vapours

### **ENVIRONMENTAL PRECAUTIONS**

Discharge in sewer prohibited.

The local authorities should be informed

### **DISPOSAL**

Use authorised discharge or burn in approved installation.

Do not discharge in sewers.

Consult local Waste disposal authorities.

## **7. HANDLING AND STORAGE**

### **HANDLING**

Avoid contact with skin. Product is flammable & hazardous while transportation & application. Keep away from sources of ignition . To be stored, used & mixed in a NO SMOKING area

### **STORAGE**

Keep only in the original container ( tightly closed ) at temperature not exceeding 30°C, and in well ventilated area, away from heat, flame & oxidising agents.

## **8. STABILITY AND REACTIVITY**

### **STABILITY**

Hazardous decomposition products: No hazardous decomposition products when stored and handled correctly as it is a stable product.

Conditions to avoid: Do not expose to High temperatures.

## **9. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Wear suitable protective clothing for eye/face protection. Protective gloves (of PVC or rubber) are recommended. Keep away from foodstuffs, drinks, and tobacco. Wash hands using suitable toilet soaps during breaks and at the end of work. Keep working clothes separate. Change contaminated or soaked clothing.

## **10. TOXICOLOGICAL INFORMATION**

### **SKIN IRRITATION**

Repeated or prolonged contact may cause non-allergic dermatitis.

### **EYE IRRITATION**

Contact with eyes may cause irritation.

### **INHALATION**

Symptoms and signs include :

Headache, fatigue, muscular weakness, dizziness, unconsciousness.

While using the usual acceptable occupational hygiene precautions, no adverse effects have been encountered, or  
are to be expected with products of this class

## **11. ECOLOGICAL INFORMATION**

### **MOBILITY**

Do not discharge into drains or the environment, dispose to an authorized waste collection point.

### **POSSIBLE ENVIRONMENTAL IMPACT / ECOTOXICITY**

The product has not been tested.

## **12. DISPOSAL CONSIDERATIONS**

### **MEASURES FOR DISPOSAL**

Do not empty into drains. The material and/or its container must be disposed of as hazardous waste. Dispose in a Chemical Disposal Area or in a manner that complies with the local, State and Central Regulations

## **13. PACKING DETAILS**

Available in 200 ml, 500 ml, 1 ltr , 4 ltrs and 20 ltrs packs and are packed in tin and MS Containers

***For Any other query about the product if required please contact us on details mentioned above..***